

# BMJ Open Lean thinking in hospitals: is there a cure for the absence of evidence? A systematic review of reviews

Hege Andersen,<sup>1,2</sup> Kjell Arne Røvik,<sup>2</sup> Tor Ingebrigtsen<sup>1,3,4</sup>

**To cite:** Andersen H, Røvik KA, Ingebrigtsen T. Lean thinking in hospitals: is there a cure for the absence of evidence? A systematic review of reviews. *BMJ Open* 2014;**4**:e003873. doi:10.1136/bmjopen-2013-003873

► Prepublication history and additional material for this paper is available online. To view these files please visit the journal online (<http://dx.doi.org/10.1136/bmjopen-2013-003873>).

Received 23 August 2013  
Accepted 13 December 2013



CrossMark

<sup>1</sup>University Hospital of North Norway, Tromsø, Norway

<sup>2</sup>Department of Sociology, Political Science, and Community Planning, Faculty of Humanities, Social Sciences, and Education, University of Tromsø, Tromsø, Norway

<sup>3</sup>Department of Clinical Medicine, Faculty of Health Sciences, University of Tromsø, Tromsø, Norway

<sup>4</sup>Centre for Clinical Governance research, Australian Institute of Health Innovation, University of New South Wales, Sydney, Australia

## Correspondence to

Hege Andersen;  
[Hege.andersen@unn.no](mailto:Hege.andersen@unn.no)

## ABSTRACT

**Objective:** Lean interventions aim to improve quality of healthcare by reducing waste and facilitate flow in work processes. There is conflicting evidence on the outcomes of lean thinking, with quantitative and qualitative studies often contradicting each other. We suggest that reviewing the literature within the approach of a new contextual framework can deepen our understanding of lean as a quality-improvement method. This article theorises the concept of context by establishing a two-dimensional conceptual framework acknowledging lean as complex social interventions, deployed in different organisational dimensions and domains. The specific aim of the study was to identify factors facilitating intended outcomes from lean interventions, and to understand when and how different facilitators contribute.

**Design:** A two-dimensional conceptual framework was developed by combining Shortell's *Dimensions of capability* with Walshes' *Domains of an intervention*. We then conducted a systematic review of lean review articles concerning hospitals, published in the period 2000–2012. The identified lean facilitators were categorised according to the intervention domains and dimensions of capability provided by the framework.

**Results:** We provide a framework emphasising context by relating facilitators to domains and dimensions of capability. 23 factors enabling a successful lean intervention in hospitals were identified in the systematic review, where management and a supportive culture, training, accurate data, physicians and team involvement were most frequent.

**Conclusions:** In the absence of evidence, the two-dimensional framework, incorporating the context, may prove useful for future research on variation in outcomes from lean interventions. Findings from the review suggest that characteristics and local application of lean, in addition to strategic and cultural capability, should be given further attention in healthcare quality improvement.

## INTRODUCTION

Lean thinking has been introduced in healthcare during the latest decades as a quality-improvement method.<sup>1</sup> Lean can be challenging to adopt in a medical environment,

## Strengths and limitations of this study

- This review of reviews sums up the major findings regarding facilitators for lean interventions in healthcare in the latest decade.
- The immaturity of the research field makes it hard to find substantial evidence for effective lean interventions in healthcare.
- The fact that lean is a social, complex and context-dependent intervention calls for a shift from cause-effect to conditional attributions in research.

where professionals require evidence before taking action.<sup>2–4</sup> Researchers remark a profound gap and tension between the medical approach and lean thinking.<sup>5–6</sup> The call for scientific proof for lean as an efficient and effective quality-improvement method is strong.<sup>7</sup> The lack of evidence may lead to resistance and hinder speed-up and spread of quality initiatives in healthcare.<sup>1–8–10</sup>

Lean interventions aim to improve quality by reducing waste and facilitate flow in care processes.<sup>11</sup> Lean techniques include value stream mapping of start-to-end processes, identification and elimination of activities that do not add value and streamlining of value-adding activities.<sup>12</sup> A focus on measurements and continuous improvement is expected to promote implementation and sustainability.

In a recent review, Mazzocato *et al*<sup>13</sup> concluded that lean has been applied successfully in healthcare institutions worldwide. However, most studies have a narrow technical application with a limited organisational reach. Many are single case studies, some quite anecdotal, while others are biased or characterised by a weak study design. Some reviews suggest that inappropriate analyses, a lack of alternative hypotheses and other methodological limitations undermine the validity.<sup>2–5–14</sup> This makes it difficult to rule out confounding explanatory factors,



to measure the outcomes and generalise the results from lean interventions.<sup>6</sup>

Advocates for experimental designs question results from qualitative studies, and argues that randomised controlled trials are necessary to isolate effects.<sup>15 16</sup> Many studies using an experimental design did not find any significant effect of lean and other quality-improvement interventions.<sup>1 2 6 9 10 17</sup> Experimental methods are not very helpful in understanding interventions' effectiveness because they rule out context, content and application variables.<sup>9</sup> We cannot be sure that the specific intervention—and not other factors—produced the observed change.<sup>2 10</sup>

The key problem is the adaptation of study designs that do not allow drawing solid conclusions, particularly as they fail to take into account contingency factors that are needed to translate the findings from one setting to another. Is there a cure for this lack of evidence? On a paramount level, one must ask whether the absence of evidence justifies inaction.<sup>18</sup> The *quality chasm* between the healthcare we have and the healthcare we should have is well documented.<sup>1 19 20</sup> In other words, the call for action is still there, and, these obstacles to quality improvement must be crossed.

### Lean as social, complex and context-dependent interventions

Shortell *et al*<sup>21</sup> emphasised the need to link evidence-based medicine and what they refer to as evidence-based management, arguing that medicine must take into account the complex organisational and social context in which care is delivered. Such integration of the intervention and its context seldom happens in quality-improvement research.<sup>22</sup>

Lean interventions operate differently from the clinical interventions affecting biological systems, in which a linear cause–effect relationship controlling the influence of context is assumed. A context is simply defined as all surrounding factors that are not part of the intervention itself.<sup>8 23</sup> However, the boundaries between the intervention and its surroundings may be relatively arbitrary, as lean interventions are social, complex and inherently context-dependent.<sup>24 25</sup> Lean interventions consist of multiple, reciprocally interacting elements. They evolve over time in response to continuous feedback as situation-dependent cumulative processes, and are therefore intrinsically unstable and difficult to standardise. Lean and other quality-improvement methods are often adjusted, mixed, implemented and used simultaneously.<sup>5 10 26 27</sup> This fact challenges the strict distinction between lean and other quality-improvement methods. Finally, lean interventions are open systems that feed back on themselves, so that with learning, they may change the conditions that made them work in the first place.

There is a growing literature on lean facilitators. According to Grimshaw *et al*,<sup>28</sup> systematic reviews provide the best evidence on the effectiveness of quality

improvement. We observe a growing consensus that characteristics such as management, resources and culture matter, but the current knowledge base lacks specification on when and how the different facilitators work. This vagueness partly rests on insufficient methodological attention to the context in which lean interventions work. To understand and assess variation in lean intervention success, there is a need for a conceptual framework defining facilitators for change at the stages and levels where they are activated. These facilitators, also named enablers, determinants for effectiveness and so on, may be defined as contingency factors which help the progress of lean interventions,<sup>8 22 29</sup> and shift the focus from cause–effect to conditional attributions.

The University Hospital of North Norway underwent a complex merger and restructuring process between 2007 and 2010.<sup>30</sup> An enterprise-wide lean programme for improvement was launched. The programme aimed to accomplish quality improvement in parallel with the organisational change to counteract the transitional setbacks in quality that large-scale change may entail.<sup>31</sup> A research programme was established to evaluate the effects. The proposed framework represents a theoretical tool to understand more of how and when lean interventions work at the hospital. Our approach incorporates the complex social and organisational context in which the interventions are applied and the different stages of adoption. We suggest that the emerging knowledge could guide decision-makers considering lean interventions, assessing the organisations' readiness for change.<sup>22 32</sup> The specific aim of the study was to identify contingency factors influencing intended outcomes of lean interventions, and to understand when and in which dimension different factors contribute.

### METHODS

A systematic narrative review<sup>33</sup> of reviews of quality improvement in hospitals was conducted. One reviewer performed the systematic review, supervised by the two coauthors. Any confusion was resolved by discussion involving all three authors. The initial inclusion criteria were English language articles published in a peer-reviewed journal in the period 2000–2012. The search words included hospital, healthcare, quality improvement, lean thinking, lean management and review/evaluation. By searching PubMed, Web of Science, EMBASE, Cochrane and Scopus, 251 articles were identified. A snowball approach was used to search for supplementary articles, adding 13 articles. Fifteen duplicate articles were removed. The titles and abstracts of these 249 articles were screened according to the *Prisma guidelines* for reporting reviews and meta-analysis (see online supplementary material).<sup>34</sup> One hundred and ninety-six original articles were excluded. Exclusion criteria included the absence of a hospital or organisational focus, single-unit case studies and hybrid quality-improvement approaches. As a result, 53 articles were assessed for eligibility. After a full-text

review, another 35 articles were excluded by the criteria that neither large-scale quality improvement, success criteria nor lean thinking were issued. Articles that mainly represented practical guidelines were also excluded. The final review included 18 articles.<sup>10 13 17 22 23 26 27 31 35–44</sup>

### Data analysis

The 18 articles were systematised according to the number of studies included in each review. Eight articles reviewed a number of definite cases, varying from 4 to 90 (median 33). The remaining articles were expert evaluations, narrative or unsystematic reviews, all covering lean interventions in hospitals. Half of the articles review only lean interventions, while the others include lean and corresponding methods such as *Productive ward* and process-oriented redesign. Lean was extracted and treated separately as far as possible, though confined by the observed mix, similarity and simultaneous use of different quality-improvement methods in hospitals.<sup>5 22 26 27</sup> The methods used in the original studies were qualitative, quantitative or a mixed-method approach. Most studies were based on cases originated in the USA, Australia and Great Britain.

The next step was to search for facilitators, defined as contingency factors predicted to promote quality improvement, as opposed to barriers that hinder improvement.<sup>37</sup> The decision to concentrate on facilitators and not on barriers to lean improvement was based on the fact that the research literature at this field chiefly pays attention to facilitators and not to barriers.<sup>5 8 10 13 17 22 23 38</sup> In most cases, the facilitators were quite easy to identify in the texts despite different annotations used, including *enablers, conditions, factors* and *key facilitators, critical elements, determinants of effectiveness, and contextual characteristics*. Using the method of feature maps, which enable localisation of similarities and differences among studies,<sup>33</sup> the articles were systematically analysed and recorded in a standardised format, according to the facilitators. The procedure was conducted by creating a worksheet categorising every article according to the author, year of publishing, type of review, other quality-improvement methods comprised (in addition to lean), research method, labelling of facilitators and facilitating factors. The complete worksheet is attached as an online supplementary material.

All the identified facilitators were assigned to larger categories. This classification was carried out to develop a more specific and practically focused state of knowledge concerning facilitators for lean thinking, as the need for an overview necessitated reducing the information to manageable amounts. All the identified facilitators concerning management and leadership were placed in the category *management*, covering subjects such as management support, commitment and ownership. Cultural issues were all categorised as *supportive culture*, including views, norms, beliefs and behaviours supporting the principles and practice of quality improvement. All facilitators concerning local translation were put in the category *adaption*, as all facilitators

### Box 1 Facilitators for change: description

*Adaption*: Local translation of the lean intervention  
*Measurement*: Audits local performance metrics on regular basis as evidence  
*Holistic approach*: Lean as an entire value system, embracing every day improvement  
*Belief*: In staff and patient, benefits encourage willingness and motivation  
*Experience*: Prior quality improvement using a successful, mature method  
*Administrative support*: Practical facilitation by a project management  
*Competence*: In tools, assumptions and methods assure capability  
*Communication*: With and between patients and staff, including feedback to both  
*Alignment*: Consistency to strategic objectives and priorities of strategic importance  
*IT-systems*: Adequate IT support and infrastructure established  
*Continuous improvement*: A long-term plan, securing endured and sustained attention  
*System-wide scope*: Multifaceted interventions across silos and functional divides  
*Vision*: Targets of urgency and direction, but realistic, simple and practical solutions  
*Customer focus*: Includes patient and workforce value creation and improvements  
*External support*: Expert change agents, networks and sponsorship trigger change  
*Staff involvement*: Commitment, engagement and empowerment by staff participation  
*Resources*: Available, sufficient and accessible capacities  
*Accurate data*: Robust and timely, evidence-based data as a impetus to change  
*Physicians*: Clinical leadership and champions' engagement, support and collaboration  
*Teamwork*: Multiskilled and disciplinary team collaboration including decision-making  
*Training*: Accessible, substantial, practical and relevant training for immediate use  
*Supportive culture*: Views, norms and beliefs that support quality improvement  
*Management*: Leadership support, ownership and commitment

dealing with prior involvement in quality-improvement work were grouped under the heading *experience*, and so on. After examining all the 149 facilitators, grouping them with similar ones, we ended up with a list comprising 23 facilitators. The different facets of these facilitators are all listed in box 1. Finally, the frequency of each of the facilitators in the 18 reviews was accounted for.

### A theoretical and methodological framework

Lean interventions consist of several different phases, from planning and preparation to implementation and sustainability, involving different organisational capabilities. The facilitators for improvement were analysed and reorganised in a table combining Shortell's *dimensions of capability*<sup>2 45</sup> and Walshe's *domains of an intervention*.<sup>9</sup>



Shortell categorised improvement factors according to cultural, technical, strategic and structural dimensions of an intervention. The *cultural* dimension refers to the underlying beliefs, values, norms and behaviours of the organisation. The *technical* dimension covers training and information system issues, while the *strategic* dimension emphasises the conditions that offer the greatest opportunities to change. This dimension touch on the degree of integration of quality improvement in the hospital's strategic plans, and to which extent improvement efforts are devoted to processes central to strategic priorities. The *structural* dimension relates to mechanisms that facilitate learning and disseminate best practices throughout the organisation. The four dimensions are multiplicative, inter-related and equally necessary for lasting quality improvement according to Shortell. Varying lean success can be understood as a result of the interplay of dynamic processes related to the four dimensions.<sup>45</sup>

Walshe's differentiated domains in quality interventions are labelled as context, content, application and outcomes. The context involves the situation, setting or organisation in which the intervention is deployed. Context may vary widely, within and between hospitals. The *content* describes the nature or characteristics of the intervention itself. The content of lean may be standardised and repeatable or modified and easy to redesign. The *application* covers the process through which the intervention is delivered. This process may be protocol-driven or widely varying depending on local actors. *Outcomes* are the results of the intervention, including the maintenance phase after implementation. All of these domains may be characterised by low or high variance. High levels of variance in the settings, content and application may explain interventions of varying success. Variances also reduce the ability to generalise empirically, and to draw conclusions about effects from one specific context to another. The complex relationship between context, content, application and outcomes

must be unpicked to develop a situational understanding of effectiveness.<sup>9</sup>

By combining Shortell's dimensions and Walshe's domains, this two-dimensional framework made it possible to classify identified facilitators for quality improvement, as emerging in different domains in a multistage process and by different organisational dimensions. The framework was used to describe and understand the contextual factors encountered in an organisational-wide quality-improvement effort.

## RESULTS

Among the 18 reviewed articles, 149 facilitators for lean interventions were found. The reviews identified 3–16 (median 7) facilitators for improvement. All were identified in several reviews, varying from 3 to 14 (median 7) times. The facilitators were categorised into 23 extensive classes, covering the range of all the identified facilitators.

Figure 1 shows how frequent the different facilitators were identified in the 18 reviews.

## DISCUSSION

Table 1 shows how the different facilitators were found relevant in different intervention domains and affected organisational dimensions.

### Context: situation and organisation

Prior experience, accompanied by success stories demonstrating the benefits for patients and staff, enables improvement.<sup>23 31 37</sup> This relates to the organisation's cultural capability and the influence of the underlying beliefs, values, norms and behaviours. Motivation influences the willingness to participate.<sup>13 17 37 38 40 41 44</sup> IT systems' infrastructure and competence,<sup>17 23 31 36–38</sup> as well as external experts sponsoring, strengthen the technical and structural capability. Sponsorship triggers learning and contribute to dissemination of best




Figure 1 Frequency of different facilitators identified in 18 reviewed articles.

**Table 1** Facilitators for change, literature reviews 2000–2012

Dimensions of capability	Domain of the intervention			
	Context	Content	Application	Outcomes
	Situation and organisation	Characteristics of the intervention	Local delivery process	Results and maintenance
<i>Cultural</i> Underlying beliefs, values, norms and behaviour	Experience Belief	Adaption Customer focus	Teamwork	Supportive culture
<i>Technical</i> Training and info support systems	IT systems Competence	Training	Administrative support	Communication
<i>Strategic</i> Strategic importance and opportunity to change	Alignment Vision	Resources	Physicians Management	Holistic approach Continuous improvement
<i>Structural</i> Mechanisms to facilitate learning and disseminate best practices	External support	Accurate data	Staff involvement	Measurement System-wide scope

practices throughout the organisation.<sup>17 31 35 38–40 44</sup> Competence in tools and methods supports the assumptions of lean, and increases the potential for change.<sup>26 27 36 38</sup> Ambitious targets aligned with the hospital's overall goals and strategies strengthen the strategic capability.<sup>17 31 36 38 41 44</sup> The goals have to be of strategic importance, but at the same time realistic, based on simple and practical solutions.<sup>17 22 31 36 40 44</sup>

#### Content: characteristics of the intervention

Adaption and translation to local conditions are a precondition for success.<sup>26 35 37</sup> A methodology communicating a clear patient and workforce focus supports the cultural dimension. Emphasis on patient processes, value creation and patient's needs facilitates quality improvement in healthcare.<sup>10 13 23 35 37 42 44</sup> Access to and accomplished substantial training in methods and tools strengthen the organisations' technical capability,<sup>10 17 22 26 31 35 36 38 44</sup> as sufficient and available resources, financial as well as staff time, affect the strategic dimension.<sup>10 17 22 23 31 35 36 38 44</sup> On the structural dimension, accurate and robust data represent an impetus to learning and spread of best practices. Timely data contribute to an evidence-based quality-improvement initiative.<sup>13 17 36 37 39 40 44</sup> Availability and sufficiency of training, data and other resources are among the most frequent facilitators in the reviewed articles, and thereby probably among the most important drivers for change.

#### Application: local delivery process

Collaborating multidisciplinary and multiskilled teams facilitates local application of lean.<sup>23 31 35–38 42 43</sup> Strengthening the improvement culture presupposes workforce stability, team leadership and decentralised decision-making. Administrative project management and practical support secures backing, and contributes to the technical capability.<sup>22 31 36 44</sup> Strategically, involvement of physicians and management encourage change. Management engagement includes frontline and senior

managers, maintaining urgency, setting direction, reinforcing expectations and providing resources.<sup>10 13 17 22 23 31 35 36 38–42 44</sup> Physicians represent champions and clinical leadership, and their involvement, engagement and collaboration are important at the strategic level as role models and peers for others.<sup>10 17 23 31 36 38 40 43</sup> The management and physicians' involvement are among the most frequently identified enablers jointly with teamwork. Key factors to disseminate best practices are staff participation, engagement and empowerment. Staff commitment, responsibility and ownership are required for achieving longstanding outcomes.<sup>26 35 38–42 44</sup>

#### Outcomes: results and maintenance

To secure maintenance, a hospital depends first and foremost on a supportive culture characterised by norms, beliefs and behaviours supporting the principles and practice of quality improvement.<sup>10 22 23 35–38</sup> In a supportive culture, employees feel that they can make use of their skills and creativity, take initiative and cause things to happen.<sup>35</sup> At the technical dimension, communication and feedback between patients and staff are enablers.<sup>31 35 38 43 44</sup> Strategically, a holistic approach based on continuous improvement and sustained attention affects the ability to accomplish change. A holistic approach emphasises that lean is not only a strategy to promote everyday improvement but also a philosophy of ongoing quality improvement within the hospital's value system.<sup>13 17 27 35 41</sup> A long-term plan should be established to secure continuous improvement.<sup>10 13 17 26 27 37</sup> Local audits and measurements conducted on a regular basis relate to the organisation's structural capability, which strengthens the evidence for lean interventions.<sup>36 37 39 40</sup> A system-wide multifaceted approach, across functional divides, allows best practices to be learned and disseminated.

Analysis based on the conceptual framework suggest that understanding which facilitators influence the



intervention at different domains and dimensions of capability is probably more important than a quantitative approach.<sup>8 17</sup> This represents a shift from cause–effect to conditional attributions.<sup>45</sup> Each domain and dimension is influenced by the status of other ones. Our results summarised in [table 1](#) indicate that a number of facilitators may interact within and between the domains and dimensions. The four dimensions, domains and the associated facilitators are inter-related and probably all necessary to achieve longstanding results.<sup>2</sup> Finally, we elaborate our interpretation of these findings.

Our analyses of data from previous review articles within this new framework show that successful lean interventions share some common features. We identified 23 facilitators associated with successful interventions. Unfortunately, little is known about which facilitators are most important.<sup>8 22</sup> Management and leadership engagement were identified as important by 13 of the 18 reviewed reviews. The other facilitators most frequently identified were a supportive culture, accurate data and training, along with physician and team involvement. This is in accordance with the conclusions from relevant research, and may indicate that these facilitators are vital to accomplish quality improvement.<sup>13 23 31 35</sup> Two recent reviews conclude that leadership, culture, maturity and data infrastructure have a stronger evidence base than other factors.<sup>23 38</sup> Our results, nevertheless, suggest that successful interventions must utilise multiple facilitators from the four dimensions of capability, interplaying as the change processes that touch on different domains. The observation the facilitators identified in this study were in accordance with those promoted in other broader theories of implementation concerning uptake of evidence and innovations in healthcare<sup>4 23 46</sup> strengthens the findings.

The most frequent facilitators belong to the *content* or *application* part of the intervention. This may indicate that policymakers should pay special attention to the content of lean and the local delivery process. Sufficient resources, accurate data and training are crucial for lean interventions to succeed. Lean interventions are not a recipe that can be implemented locally if the training or available resources are inadequate. The need for local resource allocation should not be underestimated. This is in accordance with Radnor *et al.*,<sup>27</sup> who advocated that lean interventions must be contextualised, rather than transplanted like a recipe.

This assertion is supported by the frequently identified facilitators labelled physicians and management. Leadership and clinical leadership are keys to understand why, or why not, lean interventions make contributions to healthcare.<sup>47</sup> Finally, the local application of lean in hospitals depends heavily on teamwork by multi-skilled and multidisciplinary teams. Work-floor staff must be engaged and empowered. Womack and Jones,<sup>12</sup> who initially advocated lean thinking in healthcare, emphasised the multiskilled teams as a main advantage for hospitals, making lean interventions suitable for healthcare.

The cultural and strategic dimensions of capability embrace most of the frequent facilitators. A supportive culture is fundamental to achieve quality improvements.<sup>38</sup> The organisational culture and the strategic importance of the patient path exposed to the improvement initiative are essential to understand variation in outcomes of lean interventions. Available resources, physicians' and managements' involvement indicate and affect the strategic importance, and thereby the opportunity to change. These findings are supported by other recent hospital-based studies, like Rozenblum *et al.*<sup>47</sup>

### Limitations

Making these interpretations from a systematic review of reviews must take the methods' limitations into consideration. The facilitators were grouped with similar ones, and sometimes renamed, risking that the original meaning could be misread and mistranslated by our interpretation. Transparency is promoted by conducting feature maps and presenting all the identified facilitators in appendices.

It could be argued that facilitators identified in large reviews should be given more weight than those identified in smaller ones. However, our analysis identified the same facilitators across small and large reviews. Therefore, weighting was not conducted, even though we suggest that facilitators identified in many studies are significant.

Including qualitative and quantitative studies eliminates the possibility of quantifying the findings and predicting the effects of the various facilitators by meta-analysis. The inclusion of both types of studies broadens the scope, increase the ability to identify an ampler spectre of facilitators and contribute to understanding the role of context in lean interventions.

### Directions for future research

A critical review concluded that most of the research on hospital quality is dominated by questions of *what* and does not go further to investigate the *how*, *when* and *why*.<sup>48</sup> They called for approaches that incorporate structure, process and outcomes. The fact that we know so little about the relationship between these makes it difficult to recommend ways of organising that could improve patient care.<sup>49</sup>

The facilitators identified and the two-dimensional framework proposed in the present work incorporate structure and process. Still, the facilitators are characterised by vagueness, as broad and comprehensive determinants, that needs further specification and practical content to guide future effective quality improvements to healthcare organisations.<sup>8 22 38 50</sup> In addition to contextual preconditions, success are dependent on how an organisation utilises, combines and sequences organisational resources and routines.<sup>32</sup> A logical next step will be to measure and analyse outcomes in the context of this framework, with the identified facilitators as explanatory variables. Possible measures of outcomes

could be related to the healthcare providers' performance (adherence to recommended practice), patient's outcome (as quality of life or mortality), surrogate outcomes (as re-admission) and organisational outcomes (such as resource use or sustainability).<sup>36</sup> At the University Hospital of North Norway, more than 5 years of lean experience and more than 20 implemented lean interventions leave us with a sufficient amount of empirically based cases to assess due to varying success.

## Conclusion

The findings contribute to reduce the gap between theory and practice, by a shift in focus from cause-effect to conditional attributes or characteristics of an effective organisation-wide quality intervention. The review of reviews identified 23 inter-related facilitators for lean in hospitals, where management engagement, cultural support, accurate data and training, along with teamwork, physician and staff involvement were most frequent. The findings suggest that characteristics of lean and the local application should be given attention, in addition to the organisations' cultural and strategic capability.

The main contribution of this review is a two-dimensional framework for identification and analysis of facilitators for lean interventions in healthcare. This framework incorporates the complex social and organisational context in which lean interventions are applied. These findings coincide with recent research calling for more attention to the influence of organisational context when trying to understand variance in interventions in healthcare.<sup>23</sup> We suggest that it will prove useful in future research aiming for a better understanding of how the likelihood to accomplish success in lean interventions can be increased.<sup>14</sup> The framework will also be used in future research locally at the hospital, as a practical tool to assess variation in adoption of lean.

**Acknowledgements** The authors would like to thank David Greenfield (PhD) and John Øvretveit (PhD) for their assistance in clarifying concepts in the discussion. They would also like to thank James Morrison for his language assistance.

**Contributors** HA contributed to the conception and design, the acquisition, analysis and interpretation of the data, as well as drafting and revising the article. TI and KAR made a substantial contribution to the design and interpretation of the data, as well as to drafting and critical revising of the article. All the authors have provided final approval of the submitted manuscript.

**Funding** The PhD study is funded by the regional health trust of North Norway, Helse Nord RHF.

**Competing interests** None.

**Provenance and peer review** Not commissioned; externally peer reviewed.

**Data sharing statement** The data worksheet is available as a supplementary file. The dataset will be made available by the corresponding author on request.

**Open Access** This is an Open Access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 3.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided

the original work is properly cited and the use is non-commercial. See: <http://creativecommons.org/licenses/by-nc/3.0/>

## REFERENCES

1. Joosten T, Bongers I, Janssen R. Application of lean thinking to health care: issues and observations. *Int J Qual Health Care* 2009;21:341–7.
2. Shortell SM. *Assessing the implementation and impact of clinical quality improvement efforts: abstract, executive summary and final report*. Agency for Health Care Policy and Research, 1998.
3. Shojania KG, Grimshaw JM. Evidence-based quality improvement: the state of the science. *Health Aff* 2005;24:138–50.
4. Rycroft-Malone J, Kitson A, Harvey G, *et al*. Ingredients for change: revisiting a conceptual framework. *Qual Saf Health Care* 2002;11:174–80.
5. Young T, McClean SI. A critical look at lean thinking in healthcare. *Qual Saf Health Care* 2008;17:382–6.
6. Alexander JA, Heard LR. What can we learn from quality improvement research? A critical review of research methods. *Med Care Res Rev* 2009;66:235–71.
7. de Souza LB. Trends and approaches in lean healthcare. *Leadersh Health Ser* 2009;22:121–39.
8. Øvretveit J. Understanding the conditions for improvement: research to discover which context influences affect improvement success. *BMJ Qual Saf* 2011;20(Suppl 1):i18–23.
9. Walshe K. Understanding what works—and why—in quality improvement: the need for theory-driven evaluation. *Int J Qual Health Care* 2007;19:57–9.
10. Øvretveit J, Gustafson D. Evaluation of quality improvement programmes. *Qual Saf Health Care* 2002;11:270–5.
11. Liker JK, Kaisha TJKK. *The Toyota way: 14 management principles from the world's greatest manufacturer*, McGraw-Hill, New York, 2004.
12. Womack JP, Jones DT. *Lean thinking: banish waste and create wealth in your corporation, revised and updated*, Free Press, 2003.
13. Mazzocato P, Savage C, Brommels M, *et al*. Lean thinking in healthcare: a realist review of the literature. *Qual Saf Health Care* 2010;19:376–82.
14. Kontos PC, Poland BD. Mapping new theoretical and methodological terrain for knowledge translation: contributions from critical realism and the arts. *Implement Sci* 2009;4:1–9.
15. Craig P, Dieppe P, Macintyre S, *et al*. Developing and evaluating complex interventions: the new Medical Research Council guidance. *BMJ* 2008;337:a1655.
16. Perneger T. Ten reasons to conduct a randomized study in quality improvement. *Int J Qual Health Care* 2006;18:395–6.
17. Powell A, Rushmer R, Davies H. A systematic narrative review of quality improvement models in health care. Social Dimensions of Health Institute at The Universities of Dundee and St Andrews, 2008.
18. Altman DG, Bland JM. Statistics notes: absence of evidence is not evidence of absence. *BMJ* 1995;311:485.
19. Corrigan JM. *Crossing the quality chasm*, Washington, DC: National Academy Press, 2001.
20. Kohn LT, Corrigan J, Donaldson MS. *To err is human: building a safer health system*, Joseph Henry Press, 2000.
21. Shortell SM, Rundall TG, Hsu J. Improving patient care by linking evidence-based medicine and evidence-based management. *JAMA* 2007;298:673–6.
22. Walshe K, Freeman T. Effectiveness of quality improvement: learning from evaluations. *Qual Saf Health Care* 2002;11:85–7.
23. Kaplan HC, Brady PW, Dritz MC, *et al*. The influence of context on quality improvement success in health care: a systematic review of the literature. *Milbank Q* 2010;88:500–59.
24. Davidoff F. Systems of service: reflections on the moral foundations of improvement. *BMJ Qual Saf* 2011;20(Suppl 1):i5–10.
25. Pawson R, Greenhalgh T, Harvey G, *et al*. Realist review—a new method of systematic review designed for complex policy interventions. *J Health Ser Res Policy* 2005;10:21–34.
26. Walshe K. Pseudoinnovation: the development and spread of healthcare quality improvement methodologies. *Int J Qual Health Care* 2009;21:153–9.
27. Radnor ZJ, Holweg M, Waring J. Lean in healthcare: the unfilled promise? *Soc Sci Med* 2012;74:364–71.
28. Grimshaw J, McAuley L, Bero L, *et al*. Systematic reviews of the effectiveness of quality improvement strategies and programmes. *Qual Saf Health Care* 2003;12:298–303.
29. Shortell SM, Bennett CL, Byck GR. Assessing the impact of continuous quality improvement on clinical practice: what it will take to accelerate progress. *Milbank Q* 2001;76:593–624.



30. Ingebrigtsen T, Lind M, Krogh T, *et al.* Merging of three hospitals into one university hospital. *Tidsskr Nor Lægeforen* 2012; 132:813.
31. Vos L, Chalmers SE, Dückers MLA, *et al.* Towards an organisation-wide process-oriented organisation of care: a literature review. *Implement Sci* 2011;6:8.
32. Weiner BJ. A theory of organizational readiness for change. *Implement Sci* 2009;4:67.
33. Hart C. *Doing a literature review*. London: Sage Publications, 1998.
34. Moher D, Liberati A, Tetzlaff J, *et al.* Preferred reporting items for systematic reviews and meta-analyses: the PRISMA statement. *PLoS Med* 2009;6:e1000097.
35. Poksinska B. The current state of lean implementation in health care: literature review. *Qual Manag Healthcare* 2010;19:319–29.
36. Brennan S, McKenzie JE, Whitty P, *et al.* Continuous quality improvement: effects on professional practice and healthcare outcomes (Protocol). *Cochrane Database of Systematic Reviews* 2009;4:CD003319. doi:10.1002/14651858.CD003319.pub2
37. de Souza LB, Pidd M. Exploring the barriers to lean health care implementation. *Public Money Manag* 2011;31:59–66.
38. Kaplan HC, Provost LP, Froehle CM, *et al.* The Model for Understanding Success in Quality (MUSIQ): building a theory of context in healthcare quality improvement. *BMJ Qual Saf* 2012;21:13–20.
39. Kim CS, Spahliner DA, Billi JE. Creating value in health care: the case for lean thinking. *JCOM* 2009;16:557–62.
40. Kim CS, Spahlinger DA, Kin JM, *et al.* Implementation of lean thinking: one health system's journey. *Jt Comm J Qual Patient Saf* 2009;35:406–13.
41. Lukas CVD, Holmes SK, Cohen AB, *et al.* Transformational change in health care systems: an organizational model. *Health Care Manag Rev* 2007;32:309–20.
42. Kollberg B, Dahlgaard JJ, Brehmer PO. Measuring lean initiatives in health care services: issues and findings. *Int J Productivity Perform Manag* 2007;56:7–24.
43. Winch S, Henderson AJ. Making cars and making health care: a critical review. *Med J Aust* 2009;191:415.
44. Morrow E, Robert G, Maben J, *et al.* Emerald article: implementing large-scale quality improvement: lessons pýfromTheProductiveWard: ReleasingTimetoCare! *Qual Assur* 2012;25:237–53.
45. O'Brien JL, Shortell SM, Hughes EFX, *et al.* An integrative model for organization-wide quality improvement: lessons from the field. *Qual Manag Healthcare* 1995;3:19–30.
46. Greenhalgh T, Robert G, Macfarlane F, *et al.* Diffusion of innovations in service organizations: systematic review and recommendations. *Milbank Q* 2004;82:581–629.
47. Rozenblum R, Lisby M, Hockey PM, *et al.* The patient satisfaction chasm: the gap between hospital management and frontline clinicians. *BMJ Qual Saf* 2013;22:242–50.
48. Hearld LR, Alexander JA, Fraser I, *et al.* Review: how do hospital organizational structure and processes affect quality of care? A critical review of research methods. *Med Care Res Rev* 2008;65:259–99.
49. West E. Management matters: the link between hospital organisation and quality of patient care. *Qual Health Care* 2001;10:40–8.
50. Bate P, Mendel P, Robert GB. *Organizing for quality: the improvement journeys of leading hospitals in Europe and the United States*. Radcliffe Publishing, 2008.

# Lean thinking in hospitals: is there a cure for the absence of evidence? A systematic review of reviews

Hege Andersen, Kjell Arne Røvik and Tor Ingebrigtsen

*BMJ Open* 2014 4:

doi: 10.1136/bmjopen-2013-003873

---

Updated information and services can be found at:  
<http://bmjopen.bmj.com/content/4/1/e003873>

---

*These include:*

**Supplementary Material**

Supplementary material can be found at:  
<http://bmjopen.bmj.com/content/suppl/2014/01/15/bmjopen-2013-003873.DC1.html>

**References**

This article cites 41 articles, 21 of which you can access for free at:  
<http://bmjopen.bmj.com/content/4/1/e003873#BIBL>

**Open Access**

This is an Open Access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 3.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited and the use is non-commercial. See: <http://creativecommons.org/licenses/by-nc/3.0/>

**Email alerting service**

Receive free email alerts when new articles cite this article. Sign up in the box at the top right corner of the online article.

---

**Topic Collections**

Articles on similar topics can be found in the following collections

[Health policy](#) (319)  
[Health services research](#) (642)

---

**Notes**

---

To request permissions go to:  
<http://group.bmj.com/group/rights-licensing/permissions>

To order reprints go to:  
<http://journals.bmj.com/cgi/reprintform>

To subscribe to BMJ go to:  
<http://group.bmj.com/subscribe/>

Appendix 2. Articles comprised by the review (web only)

Author/ year	Review/ size	QI/ research method	Labels	Factors
Poksinska B. 2010	Review 30 articles	Lean. Theoretical/ case studies.	Enablers	<ul style="list-style-type: none"> <li>Commitment/participation from staff that owns and drives it</li> <li>Training and responsibility to staff (empowerment)</li> <li>Consultants/trainers from health care</li> <li>Management support, ownership and resources</li> <li>Organization culture</li> <li>An holistic approach - lean is not a toolbox</li> <li>Improve the entire system, involve several units</li> <li>Adaption, not adoption</li> <li>Clear view of the customer</li> <li>Teamwork, collaboration and communication</li> </ul>
Powell A, Rushmer R, Davies H. 2008.	Review 59 articles	QI, including Lean. Observation, interviews, action research.	Necessary but not sufficient conditions for successful implementation	<ul style="list-style-type: none"> <li>Alignment with strategic objectives</li> <li>Quality as part of everyday life/every ones work</li> <li>Long time approach</li> <li>Active health professionals/doctors engagement</li> <li>Belief that staff/patient will benefit</li> <li>Strong leadership and clear vision</li> <li>Sustained active participation from board and senior management</li> <li>Multifaceted interventions sustained action at different levels</li> <li>Substantial investment in training and development (including IT and training of staff)</li> <li>Support from "change agents" to provide skills</li> <li>Robust and timely data</li> <li>Resources</li> </ul>
Vos L, Chalmers SE, Dückers MLA et al. 2011	Review 10 articles	Process oriented redesign including Lean. Uncontrolled before-after evaluations.	Factors for success	<ul style="list-style-type: none"> <li>Senior management support</li> <li>Clinical leadership and involvement</li> <li>Team-based problem solving</li> <li>Adequate information and communication technology support</li> <li>Administrative support</li> <li>Ambitious targets</li> <li>External facilitators</li> <li>Organizational readiness</li> <li>Selection and execution of projects in order of urgency</li> <li>Using a change strategy that already proved to be successful</li> <li>Good communication and training in QI techniques</li> </ul>

Brennan S, McKenzie J, Whitty P, et al 2009	Review - protocol	QI, including Lean. Qualitative and quantitative.	Dimensions of capability thought necessary for successful implementation	Views, norms, beliefs, and behaviors that support the principles and practice of QI Competency in QI methods and tools Alignment of QI activities with the organizations priorities Management structures and systems that support QI, including appropriate data and analysis systems. Leadership support for QI at all levels. Ability to work as a team (team performance), team member participation, Presence of a champion Physician support and participation, team members technical competence, training in theory, methods, and tools, support to facilitate implementation and use, the nature and complexity of the targeted change
de Souza LB, Pidd M. 2011	Review 90 articles	Lean. Case studies.	Success factors	Clarify the nature of lean healthcare, provide evidence that it works, focus on patient processes, translate it, make a culture, data – evidence based, continuous improvement, multidisciplinary teams across silos, local performance measurement, technical support, success stories (small pilots)
Kaplan HC, Provost LP, Froehle CM, et al. 2012	10 QI-experts identification based on review	QI, including Lean. Qualitative and quantitative studies	Contextual factors influencing QI success	External motivators (environmental pressure and incentives) Project sponsorship (personnel, expertise, facilities from outside) QI leadership (senior management board) Senior leader project sponsor (to champion and support) Culture support Program maturity/sophistication of QI Data infrastructure Resource availability Workforce QI focus/training/engaged Micro system leadership (personally involved) Culture support; teamwork, communication, freedom to improve Capability (team ability to use QI methods) Motivation/willingness Team diversity Physician involvement Expert (subject matter)

				<ul style="list-style-type: none"> <li>Team tenure (worked as a team before)</li> <li>Prior QI experience</li> <li>Team leadership</li> <li>Team decision making processes</li> <li>Team norms of behavior</li> <li>Team QI skills</li> <li>Trigger (a specific event stimulates a new emphasis)</li> <li>Tasks strategic importance to the organization</li> </ul>
Kaplan HC, Brady PW, Dritz MC, et al 2010	Review 47 articles	QI including Lean. Observation, controlled design, meta-analysis.	Factors important for QI success	<ul style="list-style-type: none"> <li>Leadership from top management/board</li> <li>Organizational culture</li> <li>Organizational structure (clinical integration across departments)</li> <li>Data infrastructure and information systems</li> <li>Years involved in QI (experience)</li> <li>Customer focus</li> <li>Physician involvement</li> <li>Micro system motivation to change</li> <li>Resources for QI</li> <li>QI team leadership</li> </ul>
Mazzocato P, Savage C, Brommels M et al. 2010	review 33 articles	Lean. Qualitative and quantitative.	Contextual characteristics of relevance	<ul style="list-style-type: none"> <li>Senior management involvement</li> <li>Work across functional divides</li> <li>Pursue value creation for patients</li> <li>Nurture long term holistic culture of CQI</li> <li>A need to improve</li> <li>A willingness to improve</li> </ul>
Kim CS, Spahlinger DA, Kin JM et al. 2009	UMHS-USA evaluasjon	Lean. Qualitative and quantitative.	Key factors	<ul style="list-style-type: none"> <li>Expert guidance for initial efforts</li> <li>leadership - clinical champions and senior management support</li> <li>frontline worker engagement in the QI processes</li> <li>Use metrics to develop and track interventions</li> <li>Define a realistic project scope</li> </ul>
Lukas CVD, Holmes SK, Cohen AB et al. 2007	12 healthcare system doc. review	QI including Lean Longitudinal case-studies, mixed method evaluation.	Interactive elements that appear critical to successful transformation of patient care	<ul style="list-style-type: none"> <li>Impetus to transform leadership commitment</li> <li>Actively engage staff in meaningful problem solving</li> <li>Alignment to achieve consistency of organization goals</li> <li>Integration to bridge traditional intra-organizational boundaries among individual components.</li> </ul>
Kollberg B, Dahlgaard JJ, Brehmer PO. 2007	Unsystematic review	QI including Lean. Qualitative and quantitative.	Critical success factors	<ul style="list-style-type: none"> <li>patient focus</li> <li>active involvement and</li> <li>multi-skilled teams</li> </ul>

Radnor ZJ, Holweg M, Waring J. 2012	4 multilevel studies NHS	Lean. Case studies including interviews	-	holistic system approach, Understanding pathways across the organization. a culture of continuous QI, structured problem solving, understanding the underlying assumptions
Walshe K. 2009	Unsystematic review	Lean Theoretical, qualitative and quantitative studies	-	Adoption of a QI method, stick with it; develop skills and experience, build up engagement, commitment Organizational capacity.
Walshe K, Freeman T. 2002	unsystematic review	Lean. Research evaluations.	The determinants of effectiveness	Leadership, direction, culture, training, resources, Practical support.
Winch S, Henderson AJ. 2009	Un-systematic review	Lean. Qualitative and quantitative.	-	teamwork, collaboration between health professionals and patients, Communication.
Øvretveit J, Gustafson D. 2002	Un-systematic review and recommendation for evaluation	QI including Lean. Theoretical, qualitative and quantitative.	Conditions for effectiveness or critical success factors	Senior management commitment, sustained attention, the right type of management roles at different levels, focus on customer needs, physician involvement, sufficient resources, careful program management, practical and relevant training which personnel can use immediately, the right culture
Morrow E, Robert G, Maben J et al. 2012	Evaluation program NHS	Productive ward (Lean). Mixed method evaluation including interviews and surveys.	Key facilitators	Regional level support Alignment with organizational targets Clear vision, good information about the initiative Dedicated project leadership Strong support from senior staff (champions/steering groups) External support (facilitation, networks) Enthusiasm from middle managers

				<p>Communication and feedback to staff and patients</p> <p>Need for change, valuing the initiative</p> <p>Simple, practical solutions to real problems</p> <p>Accessibility of recourses and teaching modules</p> <p>Self-nomination (units to take part)</p> <p>Local ownership and empowerment</p> <p>Sufficient resources, support and time (staff cover)</p>
<p>Kim CS, MBA, DAS, Billi JE. 2009</p>	<p>Unsystematic review</p>	<p>Lean. Qualitative and quantitative.</p>	<p>Critical Elements</p>	<p>Senior management support.</p> <p>Expert guidance for their initial projects.</p> <p>A well-structured set of metrics, on a regular basis, readjusted</p> <p>Aligning individual goals, projects, and metrics</p> <p>Provide flexibility for frontline workers to experiment at the site and time they identify a problem.</p> <p>Frontline management need to avail themselves to the area</p>