

Errata: Unfortunately, two references are missing in the reference list of the thesis.

91. **Helsedirektoratet. 2009. Nasjonale retningslinjer for diagnostisering og behandling av voksne med depresjon i primær- og spesialisthelsetjenesten. Helsedirektoratet. Oslo.**
92. **Verdens helseorganisasjon. 1999. ICD-10: Psykiske lidelser og aferdsforstyrrelser: kliniske beskrivelser og diagnostiske retningslinjer. Universitetsforlaget. Oslo.**
93. Hare DL, Toukhsati SR, Johansson P, et al. Depression and cardiovascular disease: A clinical review. *Eur Heart J* 2014; 35: 1365–1372.
94. Norwegian Institute of Public Health. Mental illness among adults in Norway. In: Public Health Report - Health Status in Norway. Oslo: 2016, Available from: <https://www.fhi.no/en/op/hin/mental-health/psykisk-helse-hos-voksne/> (2016, accessed 15. September 2019)
95. Ionescu DF, Niciu MJ, Henter ID, Zarate CA. Defining anxious depression: a review of the literature. *CNS Spectr.* 2013;18(5):252-60.
96. Malzberg B. Mortality among patients with involution melancholia *Am J Psych.* 1937(93):1231-38.
97. Cohen BE, Edmondson D and Kronish IM. State of the art review: Depression, stress, anxiety, and cardiovascular disease. *Am J Hypertens* 2015; 28: 1295–302.
98. Davidson KW, Alcantara C, Miller GE. Selected psychological comorbidities in coronary heart disease: Challenges and grand opportunities. *Am Psychol.* 2018;73(8):1019-30.
99. Pedersen SS, von Kanel R, Tully PJ, Denollet J. Psychosocial perspectives in cardiovascular disease. *Eur J Prev Cardiol.* 2017;24(3_suppl):108-15.
100. Huffman JC, Celano CM, Beach SR, Motiwala SR, Januzzi JL. Depression and cardiac disease: epidemiology, mechanisms, and diagnosis. *Cardiovasc Psychiatry Neurol.* 2013;2013:695925.
101. Lichtman JH, Bigger JT, Jr., Blumenthal JA, Frasure-Smith N, Kaufmann PG, Lesperance F, et al. Depression and coronary heart disease: recommendations for screening, referral, and treatment. *Circulation.* 2008;118(17):1768-75.
102. Pogosova N, Saner H, Pedersen SS, et al. Psychosocial aspects in cardiac rehabilitation: From theory to practice. A position paper from the Cardiac Rehabilitation Section of the European Association of Cardiovascular Prevention and Rehabilitation of the European Society of Cardiology. *Eur J Prev Cardiol* 2015; 22: 1290–1306.
103. Tawakol A, Ishai A, Takx RA, et al. Relation between resting amygdalar activity and cardiovascular events: A longitudinal and cohort study. *Lancet* 2017; 389: 834–845.
104. Pogosova N, Kotseva K, De Bacquer D, von Kanel R, De Smedt D, Bruthans J, et al. Psychosocial risk factors in relation to other cardiovascular risk factors in coronary heart disease: Results from the EUROASPIRE IV survey. A registry from the European Society of Cardiology. *Eur J Prev Cardiol.* 2017;24(13):1371-80.

105. Hanssen TA, Nordrehaug JE, Eide GE, et al. Anxiety and depression after acute myocardial infarction: An 18-month follow-up study with repeated measures and comparison with a reference population. *Eur J Cardiovasc Prev Rehabil* 2009; 16: 651–659
106. Roest AM, Martens EJ, Denollet J, de Jonge P. Prognostic association of anxiety post myocardial infarction with mortality and new cardiac events: a meta-analysis. *Psychosom Med.* 2010;72(6):563-9.
107. Tully PJ, Cosh SM, Baumeister H. The anxious heart in whose mind? A systematic review and meta-regression of factors associated with anxiety disorder diagnosis, treatment and morbidity risk in coronary heart disease. *J Psychosom Res.* 2014;77(6):439-48.
108. Lichtman JH, Froelicher ES, Blumenthal JA, Carney RM, Doering LV, Frasure-Smith N, et al. Depression as a risk factor for poor prognosis among patients with acute coronary syndrome: systematic review and recommendations: a scientific statement from the American Heart Association. *Circulation.* 2014;129(12):1350-69.
109. Pajak A, Jankowski P, Kotseva K, Heidrich J, de Smedt D, De Bacquer D, et al. Depression, anxiety, and risk factor control in patients after hospitalization for coronary heart disease: the EUROASPIRE III Study. *Eur J Prev Cardiol.* 2013;20(2):331-40.
110. Celano CM, Millstein RA, Bedoya CA, et al. Association between anxiety and mortality in patients with coronary artery disease: A meta-analysis. *Am Heart J* 2015; 170: 1105–1115.
111. van Dijk MR, Utens EM, Dulfer K, et al. Depression and anxiety symptoms as predictors of mortality in PCI patients at 10 years of follow-up. *Eur J Prev Cardiol* 2016; 23: 552–558.
112. Lavie CJ, Menezes AR, De Schutter A, et al. Impact of cardiac rehabilitation and exercise training on psychological risk factors and subsequent prognosis in patients with cardiovascular disease. *Can J Cardiol* 2016; 32: S365–S373.
113. Rutledge T, Redwine LS, Linke SE, et al. A meta-analysis of mental health treatments and cardiac rehabilitation for improving clinical outcomes and depression among patients with coronary heart disease. *Psychosom Med* 2013; 75: 335–49.
114. Piepoli MF, Corra U, Adamopoulos S, Benzer W, Bjarnason-Wehrens B, Cupples M, et al. Secondary prevention in the clinical management of patients with cardiovascular diseases. *Eur J Prev Cardiol.* 2014;21(6):664-81.
115. Richards SH, Anderson L, Jenkinson CE, et al. Psychological interventions for coronary heart disease. *Cochrane Database Syst Rev* 2017; 4: CD002902.
116. Albus C, Herrmann-Lingen C, Jensen K, Hackbusch M, Munch N, Kunczewicz C, et al. Additional effects of psychological interventions on subjective and objective outcomes compared with exercise-based cardiac rehabilitation alone in patients with cardiovascular disease: A systematic review and meta-analysis. *Eur J Prev Cardiol.* 2019;26(10):1035-49.
117. Roest AM, de Jonge P. The heart of the matter: in search of causal effects of depression on somatic diseases. *BMC Med.* 2018;16(1):147.
118. Pedersen SS, Doyle F. Effectiveness of psychological intervention as add-on to standard cardiac rehabilitation: Time to adopt new methods or keep doing more of the same? *Eur J Prev Cardiol.* 2019;26(10):1032-4.
119. Statistics Norway. Official statistics about Norwegian society since 1876. Available from: <https://www.ssb.no/en/> (accessed 15 September 2019).

120. Dreyer RP, Xu X, Zhang W, et al. Return to Work After Acute Myocardial Infarction: Comparison Between Young Women and Men. *Circ Cardiovasc Qual Outcomes*. 2016; 9: S45-52.
121. Smedegaard L, Nume AK, Charlot M, et al. Return to Work and Risk of Subsequent Detachment From Employment After Myocardial Infarction: Insights From Danish Nationwide Registries. *J Am Heart Ass* 2017;6(10):e006486
122. Stendardo M, Bonci M, Casillo V, et al. Predicting return to work after acute myocardial infarction: Socio-occupational factors overcome clinical conditions. *PLoS One* 2018; 13(12):e0208842
123. Butt JH, Rorth R, Kragholm K, Kristensen SL, Torp-Pedersen C, Gislason GH, et al. Return to the workforce following coronary artery bypass grafting: A Danish nationwide cohort study. *Int J Cardiol*. 2018;251:15-21.
124. Cauter JV, Bacquer D, Clays E, Smedt D, Kotseva K, Braeckman L. Return to work and associations with psychosocial well-being and health-related quality of life in coronary heart disease patients: Results from EUROASPIRE IV. *Eur J Prev Cardiol* 2019;26(13):1386-95.
125. Osler M, Martensson S, Prescott E, et al. Impact of gender, co-morbidity and social factors on labour market affiliation after first admission for acute coronary syndrome. A cohort study of Danish patients 2001-2009. *PLoS One* 2014; 9: e86758.
126. Warraich HJ, Kaltenbach LA, Fonarow GC, et al. Adverse Change in Employment Status after Acute Myocardial Infarction: Analysis from the TRANSLATE-ACS Study. *Circ Cardiovasc Qual Outcomes*. 2018;11(6):e004528
127. Zetterstrom K, Vaez M, Alexanderson K, et al. Disability pension after coronary revascularization: a prospective nationwide register-based Swedish cohort study. *Eur J Prev Cardiol* 2015; 22: 304-311.
128. Ervasti J, Virtanen M, Lallukka T, Friberg E, Mittendorfer-Rutz E, Lundstrom E, et al. Trends in diagnosis-specific work disability before and after ischaemic heart disease: a nationwide population-based cohort study in Sweden. *BMJ Open*. 2018;8(4):e019749.
129. Voss M, Ivert T, Pehrsson K, et al. Sickness absence following coronary revascularisation. A national study of women and men of working age in Sweden 1994-2006. *PLoS One* 2012; 7: e40952.
130. Zetterstrom K, Voss M, Alexanderson K, et al. Disability Pension at the Time of Coronary Revascularisation Is Associated with Higher Five-Year Mortality; A Swedish Nationwide, Register-Based Prospective Cohort Study. *PLoS One* 2015; 10: e0135277.
131. Gragnano A, Negrini A, Miglioretti M, Corbiere M. Common Psychosocial Factors Predicting Return to Work After Common Mental Disorders, Cardiovascular Diseases, and Cancers: A Review of Reviews Supporting a Cross-Disease Approach. *J Occup Rehabil*. 2018;28(2):215-31.
132. Reibis R, Salzwedel A, Abreu A, et al. The importance of return to work: How to achieve optimal reintegration in ACS patients. *Eur J Prev Cardiol* 2019; 26: 1358-1369.
133. Hegewald J, Wegewitz UE, Euler U, et al. Interventions to support return to work for people with coronary heart disease. *Cochrane Database Syst Revs* 2019; 3: CD010748.

134. O'Brien L, Wallace S, Romero L. Effect of Psychosocial and Vocational Interventions on Return-to-Work Rates Post-Acute Myocardial Infarction: a systematic review. *J Cardiopulm Rehabil Prev.* 2018;38(4):215-223
135. Bonaa KH, Mannsverk J, Wiseth R, et al. Drug-eluting or bare-metal stents for coronary artery disease. *N Engl J Med* 2016; 375: 1242–1252.
136. Kayaniyil S, Leung YW, Suskin N, Stewart DE, Grace SL. Concordance of self- and program-reported rates of cardiac rehabilitation referral, enrollment and participation. *Can J Cardiol.* 2009;25(4):e96-9.
137. Zigmond AS and Snaith RP. The Hospital Anxiety and Depression Scale. *Acta Psychiatr Scand* 1983; 67: 361–70.
138. Bjelland I, Dahl AA, Haug TT, et al. The validity of the Hospital Anxiety and Depression Scale. An updated literature review. *J Psychosom Res* 2002; 52: 69–77.
139. De Smedt D, Clays E, Doyle F, et al. Validity and reliability of three commonly used quality of life measures in a large European population of coronary heart disease patients. *Int J Cardiol* 2013; 167: 2294–9.
140. Fayers PM and Machin D. *Quality of life. The assessment, analysis and interpretation of patient-reported outcomes*, 3rd ed. Chichester: John Wiley, 2016.
141. Field A. *Discovering statistics using IBM SPSS statistics: and sex and drugs and rock 'n' roll*. 4th ed. Los Angeles: SAGE; 2013.
142. Holmen J, Midthjell K, Kruger Ø, et al. The Nord Trøndelag Health Study 1995–97 (HUNT 2): Objectives, contents, methods and participation. *Nor Epidemiol* 2003; 13: 19–32.
143. Polit DF, Beck CT. *Nursing research: generating and assessing evidence for nursing practice*. 9th ed. Philadelphia, PA: Wolters Kluwer Health; 2012.
144. Austin PC. An introduction to propensity score methods for reducing the effects of confounding in observational studies. *Multivar Behav Res* 2011; 46: 399–424.
145. McMurry TL, Hu Y, Blackstone EH, Kozower BD. Propensity scores: Methods, considerations, and applications in the Journal of Thoracic and Cardiovascular Surgery. *J Thorac Cardiovasc Surg*. 2015;150(1):14-9.
146. Rosenbaum PR. and Rubin DB. The central role of the propensity score in observational studies for causal effects. *Biometrika*. 1983;70:41-55.
147. Thoemmes F. Propensity Score matching in SPSS. 2012. University of Tübingen. Available from: <https://arxiv.org/ftp/arxiv/papers/1201/1201.6385.pdf>. (Accessed 15 September 2019)
148. World Medical Association. Declaration of Helsinki: Ethical principles for medical research involving human subjects. *JAMA* 2013; 310: 2191–2194.
149. Shadish WR, Cook TD, Campbell DT. *Experimental and quasi-experimental designs for generalized causal inference*. Boston: Houghton Mifflin; 2002.
150. Polit DF, Beck CT. *Nursing Research: generating and assessing evidence for nursing practice*. 10th ed. Philadelphia: Wolters Kluwer; 2017.

151. Knuuti J, Wijns W, Saraste A, Capodanno D, Barbato E, Funck-Brentano C, et al. 2019 ESC Guidelines for the diagnosis and management of chronic coronary syndromes. *Eur Heart J*. 2019. [Epub ahead of print]
152. Roffi M, Patrono C, Collet JP, et al. 2015 ESC guidelines for the management of acute coronary syndromes in patients presenting without persistent ST-segment elevation. *Eur Heart J* 2016; 37: 267–315.
153. Schulz KF, Grimes DA. Sample size slippages in randomised trials: exclusions and the lost and wayward. *Lancet*. 2002;359(9308):781-5.
154. Damen NL, Versteeg H, Serruys PW, van Geuns RJ, van Domburg RT, Pedersen SS, et al. Cardiac patients who completed a longitudinal psychosocial study had a different clinical and psychosocial baseline profile than patients who dropped out prematurely. *Eur J Prev Cardiol*. 2015;22(2):196-9.
155. Stone AA., *The Science of self-report: implications for research and practice*. London. Lawrence Erlbaum; 2000.
156. Gaskell GD, Wright DB, O'Muircheartaigh CA. Telescoping of landmark events: implications for survey research. *Public Opin. Q.* 2000;64(1):77-89.
157. Harrison AS, Sumner J, McMillan D, Doherty P. Relationship between employment and mental health outcomes following Cardiac Rehabilitation: an observational analysis from the National Audit of Cardiac Rehabilitation. *Int J Cardiol*. 2016;220:851-4.
158. Valaker I, Norekvål TM, Råholm MB, et al. Continuity of care after percutaneous coronary intervention: The patient's perspective across secondary and primary settings. *Eur J Cardiovasc Nurs* 2017; 16: 444–45.
159. Sumner J, Grace SL and Doherty P. Predictors of cardiac rehabilitation utilization in England: Results from the national audit. *JAMA* 2016; 5:e00390
160. Lemay KR, Tulloch HE, Pipe AL, Reed JL. Establishing the Minimal Clinically Important Difference for the Hospital Anxiety and Depression Scale in Patients With Cardiovascular Disease. *J Cardiopulm Rehabil Prev*. 2019;39(6):E6-E11.
161. Folkehelseinstituttet. Folkehelserapporten - Helsetilstanden i Norge Oslo. Available from: <https://www.fhi.no/nettpub/hin/grupper/sosiale-helseforskjeller/>. (2018, accessed 15. September 2019).
162. Ministry of Health and Care Services. Nasjonal helse- og sykehusplan 2020-2023. Oslo. 2019. Available from: <https://www.regjeringen.no/no/dokumenter/nasjonal-helse--og-sykehusplan-2020-2023/id2679013/?ch=1> (2019, accessed 15. December 2019).